
Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Previously Presented) A particle consisting of a solid dispersion, comprising:
 - (a) a compound of formula



a N-oxide, a pharmaceutically acceptable addition salt or a stereochemically isomeric form thereof,

wherein

Y is CR5 or N:

A is CH, CR4 or N;

n is 0, 1, 2, 3 or 4;

Q is -NR¹R² or when Y is CR⁵ then Q may also be hydrogen;

 R^1 and R^2 are each independently selected from hydrogen, hydroxy, C_{1-12} alkyl, C_{1-12} alkyloxy, C_{1-12} alkyloxy, C_{1-12} alkyloxy, C_{1-12} alkyloxy, aryl, amino, mono- or di(C_{1-12} alkyl)amino, mono- or di(C_{1-12} alkyl)aminocarbonyl wherein each of the aforementioned C_{1-12} alkyl groups may optionally and each individually be substituted with one or two substituents each independently selected from hydroxy, C_{1-6} alkyloxy, hydroxy C_{1-6} alkyloxy, carboxyl, C_{1-6} alkyloxycarbonyl, cyano, amino, imino, aminocarbonyl, aminocarbonylamino, mono- or di(C_{1-6} alkyl)amino, aryl and Het; or R^1 and R^2 taken together may form pyrrolidinyl, piperidinyl, morpholinyl, azido or mono- or di(C_{1-12} alkyl)amino C_{1-4} alkylidene;

Het is an aliphatic or aromatic heterocyclic radical, wherein said aliphatic heterocyclic radical is optionally substituted with an oxo group and wherein said aromatic heterocyclic radical is optionally substituted with hydroxy;

 R^3 is hydrogen, aryl, $C_{1\cdot6}$ alkylcarbonyl, $C_{1\cdot6}$ alkyloxycarbonyl, $C_{1\cdot6}$ alkyloxycarbonyl, $C_{1\cdot6}$ alkyl substituted with $C_{1\cdot6}$ alkyloxycarbonyl;

each R^4 independently is hydroxy, halo, $C_{1.6}$ alkyl, $C_{1.6}$ alkyloxy, cyano, aminocarbonyl, nitro, amino, trihalomethyl, trihalomethyloxy, or when Y is CR^5 then R^4 may also represent $C_{1.6}$ alkyl substituted with cyano or aminocarbonyl;

R⁵ is hydrogen or C₁₋₄alkyl;

L is -X¹-R⁶ or -X²-Alk-R⁷, wherein

 R^6 and R^7 each independently are phenyl or phenyl substituted with one, two, three, four or five substituents each independently selected from halo, hydroxy, C_{1-6} alkyl, C_{1-6} alkyloxy, C_{1-6} alkyloxycarbonyl, formyl, cyano, nitro, amino, and trifluoromethyl; or when Y is CR^5 then R^6 and R^7 may also be selected from phenyl substituted with one, two, three, four or five substituents each independently selected from aminocarbonyl, trihalomethyloxy and trihalomethyl; or when Y is N then R^6 and R^7 may also be selected from indanyl or indolyl, each of said indanyl or indolyl may be substituted with one, two, three, four or five substituents each independently selected from halo, hydroxy, C_{1-6} alkyl, C_{1-6} alkyloxy, C_{1-6} alkylcarbonyl, C_{1-6} alkyloxycarbonyl, formyl, cyano, nitro, amino, and trifluoromethyl;

 X^1 and X^2 are each independently -NR³-, -NH-NH-, -N=N-, -O-, -S-, -S(=O)- or -S(=O)₂-;

Alk is C1-4alkanedivl; or

when Y is CR^5 then L may also be selected from $C_{1.10}$ alkyl, $C_{3.10}$ alkenyl, $C_{3.7}$ cycloalkyl, or $C_{1.10}$ alkyl substituted with one or two substituents independently selected from $C_{3.7}$ cycloalkyl, indanyl, indolyl and phenyl, wherein said phenyl, indanyl and indolyl may be substituted with one, two, three, four or where possible five

substituents each independently selected from halo, hydroxy, $C_{1.6}$ alkyl, $C_{1.6}$ alkyloxy, cyano, aminocarbonyl, $C_{1.6}$ alkyloxycarbonyl, formyl, nitro, amino, trihalomethyl, trihalomethyloxy and $C_{1.6}$ alkylcarbonyl;

aryl is phenyl or phenyl substituted with one, two, three, four or five substituents each independently selected from halo, C_{1-6} alkyl, C_{1-6} alkyloxy, cyano, nitro and trifluoromethyl; and

- (b) one or more pharmaceutically acceptable water-soluble polymers.
- (Currently Amended) A particle according to claim 1, 25 or 26 having a particle size of less than 1500 μm.
- Canceled,
- 4. Canceled.
- 5. (Currently Amended) A particle consisting of a solid dispersion, comprising:
 - (a) a compound selected from the group consisting of 4-[[4-[(2,4,6-trimethylphenyl)amino]-2-pyrimidinyl]amino]benzonitrile;

4 {{4 amino 5 bromo 6 (4 cyano 2,6 dimethylphenyloxy) 2-pyrimidinyl]amino] benzonitrile,

4-{{4 amino 5 chloro 6 {(2,4,6 trimethylphenyl)amino}-2pyrimidinyl}amino]benzonitrile;

4-[[5-chloro-4-[(2,4,6-trimethylphenyl)amino]-2-pyrimidinyl]amino]benzonitrile.

- (b) one or more pharmaceutically acceptable water-soluble polymers.
- 6. (Previously Presented) A particle according to claim 1, wherein said compound (a) is 4-[[4-[(2,4,6-trimethylphenyl)amino]-2-pyrimidinyl]amino]benzonitrile.
- 7. (Currently Amended) A particle according to claim 1, 25 or 26, wherein said water-soluble polymer is a polymer that has an apparent viscosity of 1 to 5000 mPa·s when dissolved at 20°C in an aqueous solution at 2% (w/v).
- 8. (Previously Presented) A particle according to claim 7, wherein the water-soluble polymer is a polymer selected from the group consisting of:

alkylcelluloses,
hydroxyalkylcelluloses,
carboxyalkylcelluloses,
alkali metal salts of carboxyalkylcelluloses,
carboxyalkylalkylcelluloses,
carboxyalkylalkylcelluloses,
carboxyalkylcellulose esters,
starches,
pectines,
chitin derivatives,
di-, oligo- or polysaccharides,
polyacrylic acids and the salts thereof,
polymethacrylic acids, the salts and esters thereof, methacrylate copolymers,

polyvinylalcohol, and polyalkylene oxides.

- (Previously Presented) A particle according to claim 8, wherein said water-soluble polymer is hydroxypropyl methylcellulose.
- 10. (Previously Presented) A particle according to claim 9, wherein the weight ratio of (a):(b) is in the range of 1:1 to 1:899.
- 11. Canceled.
- 12. (Currently Amended) A particle according to claim 1, 25 or 26 consisting of a solid solution, comprising:
 - (a) two parts by weight of said compound (a); and
 - (b) three parts by weight of hydroxypropyl methylcellulose.
- 13. (Currently Amended) A particle according to claim 1, 25 or 26, further comprising one or more pharmaceutically acceptable excipients.

14-27. Canceled.

28. (Previously Presented) A particle according to claim 4, further comprising a material selected from said compound (a) and said polymer (b);

wherein said material is dispersed in said solid solution to form a solid dispersion;

wherein said compound (a) is in a form selected from amorphous and microcrystalline; and

wherein said polymer (b) is in a form selected from amorphous and microcrystalline.

29. Canceled.

Please add claims 30-52 as follows:

30. (New) A solid dispersion comprising

(a) a compound of formula

a N-oxide, a pharmaceutically acceptable addition salt or a stereochemically isomeric form thereof, wherein

Y is CR5 or N:

A is CH, CR4 or N;

n is 0, 1, 2, 3 or 4;

Q is -NR¹R² or when Y is CR⁵ then Q may also be hydrogen;

 R^1 and R^2 are each independently selected from hydrogen, hydroxy, C_{1-12} alkyl, C_{1-12} alkyloxy, C_{1-12} alkyloxycarbonyl, C_{1-12} alkyloxycarbonyl, aryl, amino, mono- or di(C_{1-12} alkyl)amino, mono- or di(C_{1-12} alkyl)aminocarbonyl wherein each of the aforementioned C_{1-12} alkyl groups may optionally and each individually be substituted with one or two substituents each independently selected from hydroxy, C_{1-6} alkyloxy, hydroxy C_{1-6} alkyloxy, carboxyl, C_{1-6} alkyloxycarbonyl, cyano, amino, imino, aminocarbonyl, aminocarbonylamino, mono- or di(C_{1-6} alkyl)amino, aryl and Het; or

 R^1 and R^2 taken together may form pyrrolidinyl, piperidinyl, morpholinyl, azido or mono- or $di(C_{1-1}2alkyl)aminoC_{1-4}alkylidene;$

R³ is hydrogen, aryl, C₁-6alkylcarbonyl, C₁-6alkyl, C₁-6alkyloxycarbonyl, C₁-6alkyl substituted with C₁-6alkyloxycarbonyl; and

each R⁴ independently is hydroxy, halo, C₁-6alkyl, C₁-6alkyloxy, cyano, amino-carbonyl, nitro, amino, trihalomethyl, trihalomethyloxy, or when Y is CR⁵ then R⁴ may also represent C₁-6alkyl substituted with cyano or aminocarbonyl;

R⁵ is hydrogen or C₁-4alkyl;

L is $-X^1-R^6$ or $-X^2-Alk-R^7$ wherein

R⁶ and R⁷ each independently are phenyl or phenyl substituted with one, two, three, four or five substituents each independently selected from halo, hydroxy, C₁-6alkyl, C₁-6alkyloxy, C₁-6alkyloxycarbonyl, formyl, cyano, nitro, amino, and

trifluoromethyl; or when Y is CR⁵ then R⁶ and R⁷ may also be selected from phenyl substituted with one, two, three, four or five substituents each independently selected from aminocarbonyl, trihalomethyloxy and trihalomethyl; or when Y is N then R⁶ and R⁷ may also be selected from indanyl or indolyl, each of said indanyl or indolyl may be substituted with one, two, three, four or five substituents each independently selected from halo, hydroxy, C₁-6alkyl, C₁-6alkyloxy, C₁-6

 X^{I} and X^{2} are each independently -NR³-, -NH-NH-, -N=N-, -O-, -S-, -S(=O)- or -S(=O)₂-;

Alk is C1-4alkanediyl; or

when Y is CR^5 then L may also be selected from C_{1-10} alkyl, C_{3-10} alkenyl, C_{3-10} alkynyl, C_{3-7} cycloalkyl, or C_{1-10} alkyl substituted with one or two substituents independently selected from C_{3-7} cycloalkyl, indanyl, indolyl and phenyl, wherein said phenyl, indanyl and indolyl may be substituted with one, two, three, four or where possible five substituents each independently selected from halo, hydroxy, C_{1-6} alkyl, C_{1-6} alkyloxy, cyano, aminocarbonyl, C_{1-6} alkyloxycarbonyl, formyl, nitro, amino, trihalomethyl, trihalomethyloxy and C_{1-6} alkyloxycarbonyl;

aryl is phenyl or phenyl substituted with one, two, three, four or five substituents each independently selected from halo, C1-6alkyl, C1-6alkyloxy, cyano, nitro and trifluoromethyl;

Het is an aliphatic or aromatic hetercyclic radical, wherein said aliphatic heterocyclic radical is optionally substituted with an oxo group and wherein said aromatic heterocyclic radical is optionally substituted with hydroxyl; and

- (b) one or more pharmaceutically acceptable water-soluble polymers.
- 31. (New) A solid dispersion according to claim 30, wherein the compound of formula (I-A) is a compound wherein Y is CR⁵ or N; A is CH, CR⁴ or N; n is 0, 1, 2, 3 or 4; Q is -NR¹R²; R¹ and R² are each independently selected from hydrogen, hydroxy, C_{I-12}alkyl, C_{I-12}alkyloxy, C_{I-12}alkylcarbonyl, C_{I-12}alkyloxycarbonyl, aryl, amino, mono- or di(C_{I-12}alkyl)amino, mono- or di(C_{I-12}alkyl)aminocarbonyl wherein each of the aforementioned C_{I-12}alkyl groups may optionally and each individually be substituted with one or two substituents each independently selected from hydroxy, C_{I-6}alkyloxy, hydroxyC_{I-6}alkyloxy, carboxyl, C_{I-6}alkyloxycarbonyl, cyano, amino, imino, aminocarbonyl, aminocarbonylamino, mono- or di(C_{I-6}alkyl)amino, aryl and Het; or R¹ and R² taken together may form pyrrolidinyl, piperidinyl, morpholinyl, azido or mono- or di(C_{I-12}alkyl)aminoC_{I-4}alkylidene; R³ is hydrogen, aryl, C_{I-6}alkylcarbonyl, C_{I-6}alkyl, C_{I-6}alkyl

6alkyloxycarbonyl, C1-6alkyl substituted with C1-6alkyloxycarbonyl; each R4 independently is hydroxy, halo, C1-6alkyl, C1-6alkyloxy, cyano, aminocarbonyl, nitro, amino, trihalomethyl, trihalomethyloxy; R⁵ is hydrogen or C_1 -4alkyl; L is $-X^1-R^6$ or $-X^2$ -Alk- R^7 wherein R^6 and R^7 each independently are phenyl or phenyl substituted with one, two, three, four or five substituents each independently selected from halo, hydroxy, C1-6alkyl, C1-6alkyloxy, C1-6alkylcarbonyl, C1-6alkyloxycarbonyl, formyl, cyano, nitro, amino, and trifluoromethyl, X^1 and X^2 are each independently -NR³-, -NH-NH-, -N=N-, -O-, -S-, -S(=O)- or -S(=O)₂-, and Alk is C_{1-4} alkanediyl; aryl is phenyl or phenyl substituted with one, two, three, four or five substituents each independently selected from halo, C_I-6alkyl, C_I-6alkyloxy, cyano, nitro and trifluoromethyl; Het is an aliphatic or aromatic heterocyclic radical; said aliphatic heterocyclic radical is selected from pyrrolidinyl, piperidinyl, homopiperidinyl, piperazinyl, morpholinyl, tetrahydrofuranyl and tetrahydrothienyl wherein each of said aliphatic heterocyclic radical may optionally be substituted with an oxo group; and said aromatic heterocyclic radical is selected from pyrrolyl, furanyl, thienyl, pyridyl, pyrimidinyl, pyrazinyl and pyridazinyl wherein each of said aromatic heterocyclic radical may optionally be substituted with hydroxy.

- 32. (New) A solid dispersion according to claim 30, wherein the compound of formula (I-A) is selected from
 - 4-[[4-amino-6-[(2,6-dichlorophenyl)methyl]-2-pyrimidinyl]amino]benzonitrile;
 - 6-[(2,6-dichlorophenyl)methyl]-N2-(4-fluorophenyl)-2,4-pyrimidinediamine;
 - 4-[[4-[(2,4-dichlorophenyl)methyl]-6-[(4-hydroxybutyl)amino]-2-pyrimidinyl]amino]benzonitrile;
 - 4-[[4-[(2,6-dichlorophenyl)methyl]-6-[(3-hydroxypropyl)amino]-2-pyrimidinyl] amino]benzonitrile;
 - N-[2-[(4-cyanophenyl)amino]-6-[(2,6-dichlorophenyl)methyl]-4-pyrimidinyl]-acetamide;
 - N-[2-[(4-cyanophenyl)amino]-6-[(2,6-dichlorophenyl)methyl]-4-pyrimidinyl]-butanamide;
 - 4-[[2-amino-6-(2,6-dichlorophenoxy)-4-pyrimidinyl]amino]benzonitrile;
 - 4-[[4-[(2,6-dichlorophenyl)methyl]-6-[(2-hydroxy-2-phenylethyl)amino]-2-pyrimidinyl]amino]benzonitrile;
 - 4-[[4-[(2,6-dichlorophenyl)methyl]-6-[[3-(2-oxo-1-pyrrolidinyl)propyl]amino]-2-pyrimidinyl]amino]benzonitrile;

```
4-[[4-[(2,6-dichlorophenyl)methyl]-6-[[2-(2-hydroxyethoxy)ethyl]amino]-2-
  pyrimidinyl]amino]benzontrile monohydrochloride;
  4-[[4-[(2,6-dichlorophenyl)methyl]-6-[(2,3-dihydroxypropyl)amino]-2-
  pyrimidinyl]amino]benzonitrile;
  4-[[4-[(2,6-dichlorophenyl)methyl]-6-(hydroxyamino)-2-pyrimidinyl]amino]-
benzonitrile:
  4-[[4-[(2-cyanoethyl)amino]-6-[(2,6-dichlorophenyl)methyl]-2-pyrimidinyl]amino]-
benzonitrile;
  4-[[4-[(2,6-dichlorophenyl)methyl]-6-[[2-(1-pyπolidinyl)ethyl]amino]-2-
  pyrimidinyl]amino]benzonitrile:
  4-[[4-amino-6-[(2,6-dichlorophenyl)methyl]-5-methyl-2-pyrimidinyl]amino]-
benzonitrile:
  N2-(4-bromophenyl)-6-[(2,6-dichlorophenyl)methyl]-5-methyl-2,4-
  pyrimidinediamine:
  4-[[4-[(2,4,6-trimethylphenyl)amino]-2-pyrimidinyl]amino]benzonitrile;
  4-[[2-[(2,4,6-trimethylphenyl)amino]-4-pyrimidinyl]amino]benzonitrile;
 4-[[4-[(2,6-dimethylphenyl)amino]-2-pyrimidinyl]amino]benzonitrile;
 4-[[4-(2,4,6-trimethylphenoxy)-2-pyrimidinyl]amino]benzonitrile;
 4-[[4-[(2,6-dichlorophenyl)thio]-2-pyrimidinyl]amino]benzonitrile;
 4-[[4-[[2,6-dibromo-4-(1-methylethyl)phenyl]amino]-2-pyrimidinyl]amino]-
benzonitrile;
 4-[[4-[[2,6-dichloro-4-(trifluoromethyl)phenyl]amino]-2-pyrimidinyl]amino]-
benzonitrile:
 4-[[4-[(2,4-dichloro-6-methylphenyl)amino]-2-pyrimidinyl]amino]benzonitrile;
 4-[[2-[(cyanophenyl)amino]-4-pyrimidinyl]amino]-3,5-dimethylbenzonitrile;
 4-[[4-[(2,4-dibromo-6-fluorophenyl)amino]-2-pyrimidinyl]amino]benzonitrile;
 4-[[4-amino-6-[(2,6-dichlorophenyl)methyl]-5-methyl-2-pyrimidinyl]amino]-
benzeneacetonitrile:
 4-[[4-[methyl(2,4,6-trimethylphenyl)amino]-2-pyrimidinyl]amino]benzonitrile;
 4-[[4-[(2,4,6-trichlorophenyl)amino]-2-pyrimidinyl]amino]benzonitrile;
 4-[[4-[(2,4,6-trimethylphenyl)thio]-2-pyrimidinyl]amino]benzonitrile;
 4-[[4-[(2,4,6-trimethylphenyl)amino-2-pyrimidinyl]amino]benzonitrile;
 4-[[4-amino-6-[(2,4,6-trimethylphenyl)amino]-2-pyrimidinyl]amino]benzonitrile;
 4-[[2-amino-6-[(2,4,6-trimethylphenyl)amino]-4-pyrimidinyl]amino]benzonitrile;
 4-[[4-(2-bromo-4-chloro-6-methylphenoxy)-2-pyrimidinyl]amino]benzonitrile;
```

```
4-[[4-[(4-chloro-2,6-dimethylphenyl)amino]-2-pyrimidinyl]amino]benzonitrile;
   3,5-dichloro-4-[[2-[(4-cyanophenyl)amino]-4-pyrimidinyl]amino]benzonitrile;
   4-[[4-[[2,6-dichloro-4-(trifluoromethoxy)phenyl]amino]-2-pyrimidinyl]amino]-
 benzonitrile:
   4-[[4-[(2,4-dibromo-3,6-dichlorophenyl)amino]-2- pyrimidinyl]amino]benzonitrile;
   4-[[4-[(2,6-dibromo-4-propylphenyl]amino]-2-pyrimidinyl]amino]benzonitrile;
   4-[[4-[(2,4,6-trimethylphenyl)amino]-2-pyrimidinyl]amino]benzamide;
   4-[[4-[(4-(1,1-dimethylethyl)-2,6-dimethylphenyl)amino]-2-pyrimidinyl]amino]-
 benzonitrile:
   4-[[2-[(4-cyanophenyl)amino]-4-pyrimidinyl]oxy]-3,5-dimethylbenzonitrile;
   4-[[4-[(4-chloro-2,6-dimethylphenyl)amino]-5-methyl-2-pyrimidinyl]amino]-
 benzonitrile;
   4-[[2-[(4-cyanophenyl)amino]-5-methyl-4-pyrimidinyl]amino-3,5-dimethyl
  benzonitrile:
  4-[[4-[[4-(1,1-dimethylethyl)-2,6-dimethylphenyl]amino]-5-methyl-2-
  pyrimidinyl]amino]benzonitrile;
  4-[[4-[(4-bromo-2,6-dimethylphenyl)amino]-5-methyl-2-pyrimidinyl]amino]-
benzonitrile:
  4-[[5-methyl-4-[(2,4,6-trimethylphenyl)thio]-2-pyrimidinyl]amino]benzonitrile;
  4-[[4-[(2,6-dibromo-4-propylphenyl)amino]-5-methyl-2-pyrimidinyl]amino]-
benzonitrile;
  4-[[4-[(2,4,6-trimethylphenyl)amino]-2-pyrimidinyl]amino]benzamide, N3-oxide;
  N2-(4-chlorophenyl)-N4-(2,4,6-trimethylphenyl)-2,4-pyrimidinediamine;
  4-[[4-[(2,6-dibromo-4-(1-methylethyl)phenyl]amino]-5-methyl-2-
  pyrimidinyl]amino]benzonitrile;
  4-[[2-[(4-cyanophenyl)amino]-5-methyl-4-pyrimidinyl]amino]-3,5-dimethyl
  benzonitrile;
  4-[[4-[(phenylmethyl)amino]-2-pyrimidinyl]amino]benzonitrile;
  4-[[4-amino-6-(2,6-dimethylphenoxy)-1,3,5-triazin-2-yl]amino]benzonitrile;
  4-[[4-amino-6-[(2-chloro-6-methylphenyl)amino]-1,3,5-triazin-2-
yl]amino]benzonitrile;
 4-[[4-amino-6-[(2,4,6-trimethylphenyl)amino]-1,3,5-triazin-2-yl]amino] benzonitrile;
 4-[[4-(hydroxyamino)-6-[(2,4,6-trimethylphenyl)amino]-1,3,5-triazin-2-yl]amino]-
benzonitrile:
```

- 4-[[4-amino-6-[(2-ethyl-6-methylphenyl)amino]-1,3,5-triazin-2-yl]amino]benzonitrile,
 - 4-[[4-amino-6-[(2,6-dichlorophenyl)thio]-1,3,5-triazin-2-yl]amino]benzonitrile;
- 4-[[4-(hydroxyamino)-6-[(2,4,6-trichlorophenyl)amino]-1,3,5-triazin-2-yl]amino]-benzonitrile;
 - 4-[[4-amino-6-(2,4,6-trimethylphenoxy)-1,3,5-triazin-2-yl]amino]benzonitrile;
- 4-[[4-(hydroxyamino)-6-(2,4,6-trimethylphenoxy)-1,3,5-triazin-2-yl]amino]-benzonitrile;
- 4-[[4-amino-6-[(2,4-dichloro-6-methylphenyl)amino]-1,3,5-triazin-2-yl]amino]-benzonitrile:
- 4-[[4-[(2,4-dichloro-6-methylphenyl)amino]-6-(hydroxyamino)-1,3,5-triazin-2-yl]-amino]benzontrile;
- 4-[[4-(hydroxyamino)-6-(2,4,6-trichlorophenoxy)-1,3,5-triazin-2-yl]amino]benzonitrile trifluoroacetate (1:1);
- 4-[[4-(4-acetyl-2,6-dimethylphenoxy)-6-amino-1,3,5-triazin-2-yl]amino] benzonitrile;
- 4-[[4-amino-6-(2,4,6-tribromophenoxy)-1,3,5-triazin-2-yl]amino]benzonitrile;
- 4-[[4-amino-6-(4-nitro-2,6-dimethylphenoxy)-1,3,5-triazin-2-yl]amino] benzonitrile;
- 4-[[4-amino-6-(2,6-dibromo-4-methylphenoxy)-1,3,5-triazin-2-yl]amino]benzonitrile;
- 4-[[4-amino-6-(4-formyl-2,6-dimethylphenoxy)-1,3,5-triazin-2-yl]amino]benzonitrile;
- 4-[[4-amino-6-[(2,4-dichlorophenyl)thio]-1,3,5-triazin-2-yl]amino]benzonitrile;
- 4-[[4-[(5-acetyl-2,3-dihydro-7-methyl-1H-inden-4-yl)oxy]-6-amino-1,3,5-triazin-2-yl]amino]benzonitrile;
- 4-[[4-amino-6-[(4-bromo-2-chloro-6-methylphenyl)amino]-1,3,5-triazin-2-yl]amino]-benzonitrile;
- 4-[[4-amino-6-[(2-chloro-4,6-dimethylphenyl)amino]-1,3,5-triazin-2-yl]amino]-benzonitrile;
- 4-[[4-amino-6-[[2,4-dichloro-6-(trifluoromethyl)phenyl]amino]-1,3,5-triazin-2- yl]-amino]benzonitrile;
- 4-[[4-amino-6-[methyl(2,4,6-trimethylphenyl)amino]-1,3,5-triazin-2-yl]amino]-benzonitrile;
- 4-[[4-amino-6-[(2,6-dibromo-4-methylphenyl)amino]-1,3,5-triazin-2-yl]amino]-benzonitrile:

- 4-[[4-amino-6-[[2,6-dibromo-4-(1-methylethyl)phenyl]amino]-1,3,5-triazin-2-yl]-amino]benzonitrile;
- a N-oxide, a pharmaceutically acceptable addition salt or a stereochemically isomeric form thereof.
- 33. (New) A solid dispersion according to claim 32, wherein the compound of formula (I-A) is 4-[[4-[(2,4,6-trimethylphenyl)amino]-2-pyrimidinyl]amino]benzonitrile; a N-oxide, a pharmaceutically acceptable addition salt or a stereochemically isomeric form thereof.
- 34. (New) A solid dispersion according to claim 32, wherein the compound of formula (I-A) is 4-[[2-[(cyanophenyl)amino]-4-pyrimidinyl]amino]-3,5-dimethylbenzonitrile; a N-oxide, a pharmaceutically acceptable addition salt or a stereochemically isomeric form thereof.
- 35. (New) A solid dispersion according to any one of claims 30-34, wherein the water-soluble polymer is a polymer that has an apparent viscosity of 1 to 5000 mPa.s when dissolved at 20°C in an aqueous solution at 2 % (w/v).
- 36. (New) A solid dispersion according to any one of claims 30-34, wherein the water-soluble polymer is selected from the group comprising
 - alkylcelluloses.
 - hydroxyalkylcelluloses,
 - hydroxyalkyl alkylcelluloses,
 - carboxyalkylcelluloses,
 - alkali metal salts of carboxyalkylcelluloses,
 - carboxyalkylalkylcelluloses,
 - carboxyalkylcellulose esters.
 - starches,
 - pectines,
 - chitin derivates,
 - di-, oligo- or polysaccharides,
 - polyacrylic acids and the salts thereof,
 - polymethacrylic acids, the salts and esters thereof, methacrylate copolymers,
 - polyvinylalcohol,
 - polyalkylene oxides such as polyethylene oxide and polypropylene oxide and copolymers of ethylene oxide and propylene oxide.
- 37. (New) A solid dispersion according to claim 36, wherein the water-soluble polymer is selected from the group comprising methylcellulose; hydroxymethylcellulose; hydroxypropylcellulose; hydroxybutylcellulose; hydroxypthyl

methylcellulose; hydroxypropyl methylcellulose; carboxymethylcellulose; sodium carboxymethylcellulose; carboxymethylcellulose; sodium carboxymethylamylopectine; chitosan; trehalose; cyclodextrins or a derivative thereof; alginic acid, alkali metal and ammonium salts thereof; carrageenans; galactomannans; tragacanth; agar-agar; gummi arabicum; guar gummi; xanthan gummi; polyethylene oxide; polypropylene oxide; and copolymers of ethylene oxide and propylene oxide.

- 38. (New) A solid dispersion according to claim 36, wherein the water-soluble polymer is selected from Eudragit E and hydroxypropyl methylcellulose.
- 39. (New) A solid dispersion according to any one of claim 36, wherein the water-soluble polymer is an aminoalkyl methacrylate copolymer.
- 40. (New) A solid dispersion according to any one of claim 36, wherein the water-soluble polymer is hydroxypropyl methylcellulose.
- 41. (New) A solid dispersion according to claim 40 wherein the hydroxypropyl methylcellulose has an apparent viscosity from about 1 to about 100 mPa.s when dissolved at 20°C in an aqueous solution at 2 % (w/v).
- 42. (New) A solid dispersion according to claim 41, wherein the hydroxypropyl methylcellulose has an apparent viscosity from about 3 to about 15 mPa.s when dissolved at 20°C in an aqueous solution at 2 % (w/v).
- 43. (New) A solid dispersion according to claim 42, wherein the hydroxypropyl methylcellulose has an apparent viscosity of about 5 mPa.s when dissolved at 20°C in an aqueous solution at 2 % (w/v).
- 44. (New) A solid dispersion according to claim 43, wherein the hydroxypropyl methylcellulose is hydroxypropyl methylcellulose HPMC 2910 5 mPa.s.
- 45. (New) A solid dispersion according to 30, wherein the weight-by-weight ratio of (a): (b) is in the range of 1:1 to 1:899.
- 46. (New) A solid dispersion according to claim 45, wherein the weight-by-weight ratio of (a): (b) is in the range of 1:1 to 1:100.
- 47. (New) A solid dispersion according to claim 46, wherein the weight-by-weight ratio of (a): (b) is in the range of 1:1 to 1:5.
- 48. (New) A solid dispersion according to claim 47, wherein the weight-by-weight ratio of (a): (b) is in the range of from about 1: 1 to about 1: 3.

- 49. (New) A solid dispersion according to claim 47, wherein the weight-by-weight ratio of (a): (b) is in the range of about 1:3 to about 1:5.
- 50. (New) A solid dispersion according to claim 48 wherein the weight-by-weight ratio of (a): (b) is in the range of about 1: 1 to about 1: 1.5.
- 51. (New) A solid dispersion according to claim 48 wherein the weight-by-weight ratio of (a): (b) is in the range of about 1: 1.5 to about 1: 3.
- 52. (New) A process of preparing a solid dispersion according to claim 30, comprising:
 - (a) spray-drying of a solution of the components (a) and (b);
 - (b) preparing a solution of the components (a) and (b), pouring said solution onto a large surface so as to form a thin film, and evaporating the solvent therefrom; or
 - (c) melt-extruding the components (a) and (b).